L Number	Hits	Search Text	DB	Time stamp
-	964	709/227.ccls. and @ad<19991020	USPAT; US-PGPUB	2004/04/20 08:17
-	179	(709/227.ccls. and @ad<19991020) and (communication NEAR5 type$1)	USPAT; US-PGPUB	2003/11/03 15:15
-	570	709/228.ccls. and @ad<19991020	USPAT; US-PGPUB	2003/11/03 15:15
-	135	(709/228.ccls. and @ad<19991020) and (communication NEAR5 type$1)	USPAT; US-PGPUB	2003/11/03 15:15
-	97	((709/228.ccls. and @ad<19991020) and (communication NEAR5 type$1)) not ((709/227.ccls. and @ad<19991020) and (communication NEAR5 type$1))	USPAT; US-PGPUB	2003/11/03 15:15
-	2	5953505.URPN.	USPAT	2003/11/04 09:09
-	4	("5495285" | "5500672" | "5510829" | "5517652").PN.	USPAT	2003/11/04 09:10
-	3	6317793.URPN.	USPAT	2003/11/04 09:10
-	1046	(select$3 or determin$3 or choos$3) NEAR5 (communication NEAR2 (type or method)) and @ad<19991020	USPAT; US-PGPUB	2003/11/04 11:01
-	84	((select$3 or determin$3 or choos$3) NEAR5 (communication NEAR2 (type or method)) and @ad<19991020) and (instant message NEAR5 chat NEAR5 e-mail and voice)	USPAT; US-PGPUB	2003/11/04 09:18
-	0	((select$3 or determin$3 or choos$3) NEAR5 (communication NEAR2 (type or method)) and @ad<19991020) and (((instant adj message) or "IRC") NEAR5 chat NEAR5 e-mail and voice)	USPAT; US-PGPUB	2003/11/04 09:19
-	0	((select$3 or determin$3 or choos$3) NEAR5 (communication NEAR2 (type or method)) and @ad<19991020) and ((instant adj message) NEAR5 chat NEAR5 e-mail and voice)	USPAT; US-PGPUB	2003/11/04 09:20
-	1	((select$3 or determin$3 or choos$3) NEAR5 (communication NEAR2 (type or method)) and @ad<19991020) and ((chat or "IRC") NEAR5 e-mail and voice)	USPAT; US-PGPUB	2003/11/04 09:22
-	0	((select$3 or determin$3 or choos$3) NEAR5 (communication NEAR2 (type or method)) and @ad<19991020) and (chat and (instant NEAR3 message) and e-mail and voice)	USPAT; US-PGPUB	2003/11/04 09:23
-	3	((select$3 or determin$3 or choos$3) NEAR5 (communication NEAR2 (type or method)) and @ad<19991020) and (chat and e-mail and voice)	USPAT; US-PGPUB	2003/11/04 09:23
-	795	(select$3 or determin$3 or choos$3) NEAR3 (communication NEAR2 (type or method)) and @ad<19991020	USPAT; US-PGPUB	2003/11/04 09:29
-	491	((select$3 or determin$3 or choos$3) NEAR3 (communication NEAR2 (type or method)) and @ad<19991020) and ("e-mail" or telephone or (instant adj messaging))	USPAT; US-PGPUB	2003/11/04 09:35
-	60	((select$3 or determin$3 or choos$3) NEAR3 (communication NEAR2 (type or method)) and @ad<19991020) and ("e-mail" or chat or (instant adj messaging))	USPAT; US-PGPUB	2003/11/04 09:35
-	8	(select$3 or determin$3 or choos$3) NEAR5 (communication NEAR2 (media) NEAR5 user$1) and @ad<19991020	USPAT; US-PGPUB	2003/11/04 11:18
-	0	jp-199855492-$.did.	USPAT; US-PGPUB	2003/11/04 11:21
-	0	jp-199855492-$.did.	JPO; DERWENT	2003/11/04 11:22
-	0	match$3 NEAR5 (communication NEAR3 (types or methods or means or media)) NEAR6 user$1 and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 11:29
-	8	match$3 NEAR5 (communication NEAR3 (types or methods or means or media)) and user$1 and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 11:44

-	0	match$3 NEAR5 (communication NEAR3 means) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 11:45
-	0	match$3 same (communication NEAR3 means) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 11:45
-	66	match$3 same (communication NEAR3 types) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 11:45
-	20	match$3 NEAR5 (communication NEAR3 types) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 11:57
-	0	matching NEAR6 (user NEAR5 communication NEAR5 (devices or means)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 11:59
-	0	(match$3 or determin$3) NEAR6 compatible NEAR5 (communication adj means) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 13:30
-	0	(match$3 or determin$3) NEAR6 compatible NEAR5 (communication adj type) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 13:30
-	0	(match$3 or determin$3) NEAR6 compatible NEAR5 (communication adj media) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 13:31
-	10	(match$3 or determin$3) same compatible same (communication adj media) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 13:32
-	0	(choos$3) same compatible same (communication adj media) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 13:32
-	57	user NEAR6 available NEAR8 (communication adj channel) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 13:54
-	8367	(communication NEAR6 between NEAR8 user$1) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 13:55
-	42	((communication NEAR6 between NEAR8 user$1) and @ad<19991020) and ("e-mail" and chat and messaging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 14:16
-	1169	((communication NEAR6 between NEAR8 user$1) and @ad<19991020) and (control$3 or select$3 or monitor$3) NEAR5 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 14:21

-	798	((communication NEAR6 between NEAR8 user$1) and @ad<19991020) and (control$3 or select$3 or monitor$3) NEAR2 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 14:21
-	0	(((communication NEAR6 between NEAR8 user$1) and @ad<19991020) and (control$3 or select$3 or monitor$3) NEAR2 server) and (communication adj means)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 14:21
-	1	(((communication NEAR6 between NEAR8 user$1) and @ad<19991020) and (control$3 or select$3 or monitor$3) NEAR2 server) and (communication NEAR3 means)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 14:21
-	2	(((communication NEAR6 between NEAR8 user$1) and @ad<19991020) and (control$3 or select$3 or monitor$3) NEAR2 server) and (source NEAR6 destination) NEAR5 relation$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 14:23
-	119	(((communication NEAR6 between NEAR8 user$1) and @ad<19991020) and (control$3 or select$3 or monitor$3) NEAR2 server) and (user NEAR5 relation$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 14:26
-	891	709/204.ccls.	USPAT; US-PGPUB	2003/11/05 08:35
-	511	709/204.ccls.	USPAT	2003/11/05 08:34
-	613	709/228.ccls.	USPAT	2003/11/05 08:34
-	17	709/204.ccls. and 709/228.ccls.	USPAT; US-PGPUB	2003/11/05 08:35
-	10	5754765.URPN.	USPAT	2003/11/05 09:07
-	29505	(list or menu or cache or queue or store or database) NEAR10 (stat or status or attribut$4)	USPAT; US-PGPUB	2003/11/05 09:13
-	222322	(communication or transfer$4 or transmission or messag$4) NEAR10 ("same" or equal or best or better or concurrent or agree$6)	USPAT; US-PGPUB	2003/11/05 09:13
-	21710	(availabl$4 or aliv$4 or ready or access$5 or prepar$4 or usabl$4) SAME (conferenc$4 or email or teleconferenc$4 or chat or IM)	USPAT; US-PGPUB	2003/11/05 09:15
-	116	((list or menu or cache or queue or store or database) NEAR10 (stat or status or attribut$4)) NEAR10 ((communication or transfer$4 or transmission or messag$4) NEAR10 ("same" or equal or best or better or concurrent or agree$6))	USPAT; US-PGPUB	2003/11/05 09:35
-	204557	(communication or transfer$4 or transmission) NEAR10 ("same" or equal or best or better or concurrent or agree$6)	USPAT; US-PGPUB	2003/11/05 09:36
-	8093	(availabl$4 or aliv$4 or ready or access$5 or prepar$4 or usabl$4) NEAR40 (conferenc$4 or teleconferenc$4 or chat or IM)	USPAT; US-PGPUB	2003/11/05 09:36
-	16	((communication or transfer$4 or transmission) NEAR10 ("same" or equal or best or better or concurrent or agree$6)) NEAR20 ((availabl$4 or aliv$4 or ready or access$5 or prepar$4 or usabl$4) NEAR40 (conferenc$4 or teleconferenc$4 or chat or IM))	USPAT; US-PGPUB	2003/11/05 09:37
-	337	370/260.ccls.	USPAT; US-PGPUB	2003/11/05 14:12
-	232	370/260.ccls. and (ping or status or stat or condition or state)	USPAT; US-PGPUB	2003/11/05 14:12
-	137	370/260.ccls. and (ping or status or stat or condition or state) SAME (communicaton or transfer or transmission or messag$3)	USPAT; US-PGPUB	2003/11/05 14:31
-	110	(370/260.ccls. and (ping or status or stat or condition or state) SAME (communicaton or transfer or transmission or messag$3)) and (list or menu or cache or queue or store or database)	USPAT; US-PGPUB	2003/11/05 14:15

-	5073	(ping or status or stat or condition or state) NEAR10 (communicaton or transfer or transmission or messag$3) NEAR10 (list or menu or cache or queue or store or database)	USPAT	2003/11/05 14:43
-	45	((ping or status or stat or condition or state) NEAR10 (communicaton or transfer or transmission or messag$3) NEAR10 (list or menu or cache or queue or store or database)) and (709/204.ccls. or 709/228.ccls.)	USPAT	2003/11/05 14:33
-	21	(ping or status or stat or condition or state) NEAR10 (communicaton or transfer or transmission or messag$3) NEAR10 (list or menu or cache or queue or store or database) NEAR10 (conference or email or teleconference or chat or "IM")	USPAT	2003/11/05 14:43
-	8	("4953159" | "5195086" | "5317683" | "5500929" | "5533110" | "5546447" | "5572582" | "5590128").PN.	USPAT	2003/11/05 15:19
-	13	5717863.URPN.	USPAT	2003/11/05 15:21
-	2757	(available or alive or ready or accessible or prepared or usable or busy or "not here" or "I'm Here") NEAR10 (conference or email or teleconference or chat or IM)	USPAT	2003/11/06 10:08
-	1074	((available or alive or ready or accessible or prepared or usable or busy or "not here" or "I'm Here") NEAR10 (conference or email or teleconference or chat or IM)) and (status or stat or attribute)	USPAT	2003/11/06 10:00
-	940	(((available or alive or ready or accessible or prepared or usable or busy or "not here" or "I'm Here") NEAR10 (conference or email or teleconference or chat or IM)) and (status or stat or attribute)) and (list or menu or table or database)	USPAT	2003/11/06 10:01
-	215	((((available or alive or ready or accessible or prepared or usable or busy or "not here" or "I'm Here") NEAR10 (conference or email or teleconference or chat or IM)) and (status or stat or attribute)) and (list or menu or table or database)) and profile	USPAT; US-PGPUB	2003/11/06 10:02
-	1226	(available or busy or "not here" or "I'm Here") NEAR5 (conference or email or teleconference or chat or IM)	USPAT	2003/11/06 10:28
-	1104	(available or busy or "not here" or "I'm Here") NEAR5 (conference or teleconference or chat or IM)	USPAT	2003/11/06 10:19
-	3	((available or busy or "not here" or "I'm Here") NEAR5 (conference or teleconference or chat or IM)) and (online NEAR4 status)	USPAT	2003/11/06 10:10
-	21	("5544322" | "5748736" | "5884322" | "5898839" | "5918017" | "5928325" | "5949872" | "5958014" | "6055574" | "6247057" | "6260148" | "6301609" | "6332081" | "6351464" | "6366962" | "6415318" | "6421437" | "6421674" | "6446127" | "6466969" | "6493324" | "2002/0032736").PN.	USPAT	2003/11/06 10:11
-	0	6564261.URPN.	USPAT	2003/11/06 10:19
-	15	("5434860" | "5483588" | "5533112" | "5539741" | "5619555" | "5734724" | "5745711" | "5844979" | "5852656" | "5884262" | "5916302" | "6007228" | "6167033" | "6175619" | "6240070").PN.	USPAT	2003/11/06 10:19
-	404	((available or busy or "not here" or "I'm Here") NEAR5 (conference or teleconference or chat or IM)) and (status)	USPAT	2003/11/06 10:19
-	1	(monitor$3 NEAR4 (user NEAR3 status)) NEAR5 (conference or email or teleconference or chat or IM)	USPAT	2003/11/06 10:28

-	6	(monitor$3 NEAR4 (user NEAR3 status)) same (conference or email or teleconference or chat or IM)	USPAT	2003/11/06 10:32
-	8	("5493692" | "5634005" | "5793365" | "5802253" | "5987503" | "6128646" | "6278996" | "6353827").PN.	USPAT	2003/11/06 10:30
-	109	(monitor$3 NEAR4 status) same (conference or email or teleconference or chat or IM)	USPAT	2003/11/06 11:05
-	0	6564244.URPN.	USPAT	2003/11/06 10:47
-	11	("5761662" | "5920848" | "5933778" | "5974409" | "6029195" | "6076100" | "6215877" | "6219694" | "6304864" | "6345290" | "6393460").PN.	USPAT	2003/11/06 10:47
-	3	("5790639" | "5930471" | "6076093").PN.	USPAT	2003/11/06 10:57
-	0	6501834.URPN.	USPAT	2003/11/06 10:59
-	3	("5790639" | "5930471" | "6076093").PN.	USPAT	2003/11/06 11:04
-	26	(messag$3 NEAR4 profile$1) NEAR5 (chat or e-mail or IM or teleconference or videoconference) and @ad<19991020	USPAT	2003/11/06 11:05
-	3	("5790639" | "5930471" | "6076093").PN.	USPAT	2003/11/06 11:21
-	82	(sort$3 NEAR3 (list or table) NEAR4 priority) and @ad<19991020	USPAT; US-PGPUB	2003/11/06 14:21
-	30	((sort$3 NEAR3 (list or table) NEAR4 priority) and @ad<19991020) and destination	USPAT; US-PGPUB	2003/11/06 15:42
-	0	(sort$3 NEAR4 priority NEAR8 (destination NEAR8 (user or node))) and @ad<19991020	USPAT; US-PGPUB	2003/11/06 14:22
-	9712	(battlenet or doom or game) NEAR5 (conference or network or play) and @ad<19991020	USPAT	2003/11/06 15:43
-	3	(battlenet or doom) NEAR5 (conference or network or play) and @ad<19991020	USPAT	2003/11/06 15:44
-	463	(network NEAR5 games) NEAR5 (conference or network or play) and @ad<19991020	USPAT	2003/11/06 15:45
-	433	((network NEAR5 games) NEAR5 (conference or network or play) and @ad<19991020) and (connect$3 or establish$3 or enroll$3)	USPAT	2003/11/06 15:44
-	134	(network NEAR5 games) NEAR5 (conference or network or play) NEAR8 (connect$3 or establish$3 or enroll$3) and @ad<19991020	USPAT	2003/11/06 15:45
-	371	presence NEAR5 technology and @ad<19991020	USPAT; US-PGPUB	2003/11/07 08:37
-	25	(presence NEAR5 technology and @ad<19991020) and (e-mail or chat or teleconference or "IM")	USPAT; US-PGPUB	2003/11/07 08:35
-	181	presence NEAR10 (online or "on-line") and @ad<19991020	USPAT; US-PGPUB	2003/11/07 08:41
-	21	(presence NEAR10 (online or "on-line") and @ad<19991020) and (chat or "e-mail" or email or "IM" or teleconference)	USPAT; US-PGPUB	2003/11/07 09:59
-	4713	(register or subscribing or entroll or install) SAME (conference or email or "IM" or "plug-in" or plug) and @ad<19991020	USPAT; US-PGPUB	2003/11/07 10:00
-	1229	(register or subscribing or entroll or install) NEAR5 (conference or email or "IM" or "plug-in" or plug) and @ad<19991020	USPAT; US-PGPUB	2003/11/07 10:05
-	0	((register or subscribing or entroll or install) NEAR5 (conference or email or "IM" or "plug-in" or plug) and @ad<19991020) and 709/228.ccls	USPAT; US-PGPUB	2003/11/07 10:00
-	9	((register or subscribing or entroll or install) NEAR5 (conference or email or "IM" or "plug-in" or plug) and @ad<19991020) and 709/228.ccls.	USPAT; US-PGPUB	2003/11/07 10:00
-	1214	(register or subscribing or entroll or install) NEAR5 (conference or "IM" or "plug-in" or plug) and @ad<19991020	USPAT; US-PGPUB	2003/11/07 10:05
-	901	(register or subscribing or entroll or install) NEAR3 (conference or "IM" or "plug-in" or plug) and @ad<19991020	USPAT; US-PGPUB	2003/11/07 10:06

-	0	((register or subscribing or entroll or install) NEAR3 (conference or "IM" or "plug-in" or plug) and @ad<19991020) and 709/*.ccls.	USPAT; US-PGPUB	2003/11/07 10:05
-	890	(register or subscribing or entroll or install) NEAR3 (conference or "IM" or "plug-in" or plug) and @ad<19991020	USPAT	2003/11/07 10:09
-	0	((register or subscribing or entroll or install) NEAR3 (conference or "IM" or "plug-in" or plug) and @ad<19991020) and (download NEAR3 list)	USPAT	2003/11/07 10:09
-	2	((register or subscribing or entroll or install) NEAR3 (conference or "IM" or "plug-in" or plug) and @ad<19991020) and (download same list)	USPAT	2003/11/07 10:09
-	0	(priority NEAR5 rankings and @ad<19991020) and ((past or prior) NEAR5 (use or useage))	USPAT; US-PGPUB	2003/11/07 11:44
-	71	priority NEAR5 rankings and @ad<19991020	USPAT; US-PGPUB	2003/11/07 11:44
-	19	(rank NEAR5 usage) and @ad<19991020	USPAT; US-PGPUB	2003/11/07 11:45
-	88011	(connect$3 or ring$3 or call$3) NEAR5 (group or (multiple adj phone$1)) and @ad<19991020	USPAT; US-PGPUB	2003/11/10 08:47
-	49830	(connect or ring or call) NEAR5 (group or (multiple adj phone$1)) and @ad<19991020	USPAT; US-PGPUB	2003/11/10 08:48
-	32	(connect or ring or call) NEAR5 (multiple adj phone$1) and @ad<19991020	USPAT; US-PGPUB	2003/11/10 09:00
-	276	(connect or ring or call) NEAR5 ((multiple adj phone$1) or email$1 or "IM" or videoconference) and @ad<19991020	USPAT; US-PGPUB	2003/11/10 09:04
-	244	((connect or ring or call) NEAR5 ((multiple adj phone$1) or email$1 or "IM" or videoconference) and @ad<19991020) not ((connect or ring or call) NEAR5 (multiple adj phone$1) and @ad<19991020)	USPAT; US-PGPUB	2003/11/10 09:03
-	32	(connect or ring or call) NEAR5 (multiple adj (phone$1 or email$1 or "IM" or videoconference)) and @ad<19991020	USPAT; US-PGPUB	2003/11/10 09:05
-	0	(connect or ring or call) NEAR5 (multiple adj (email$1 or "IM" or videoconference)) and @ad<19991020	USPAT; US-PGPUB	2003/11/10 09:05
-	3	(connect or send or message or conference) NEAR5 (multiple adj (email$1 or "IM" or videoconference)) and @ad<19991020	USPAT; US-PGPUB	2003/11/10 09:11
-	6	("5805911" | "5832497" | "5845300" | "6208339" | "6279016" | "6377965").PN.	USPAT	2003/11/10 09:11
-	52	(connect or send or message or conference) NEAR5 (multiple adj (accounts or addresses or "e-mail$1")) and @ad<19991020	USPAT; US-PGPUB	2003/11/10 09:27
-	14	(send or call or mail) NEAR5 (multiple adj (accounts or addresses or "e-mail$1")) and @ad<19991020	USPAT; US-PGPUB	2003/11/10 09:29
-	13222	group NEAR5 (mail$3 or call$3 or conferenc$3) and @ad<19991020	USPAT; US-PGPUB	2003/11/10 09:41
-	443	(group NEAR5 (mail$3 or call$3 or conferenc$3) and @ad<19991020) and (multiple NEAR4 (message$1 or "IM"))	USPAT; US-PGPUB	2003/11/10 09:43
-	329	(group NEAR5 (mail$3 or call$3 or conferenc$3) and @ad<19991020) and (multiple NEAR2 (message$1 or "IM"))	USPAT; US-PGPUB	2003/11/10 11:39
-	3	6496851.pn. or 6601087.pn. or 6636889.pn.	USPAT; US-PGPUB	2003/11/10 11:40
-	1	5715392.pn.	USPAT; US-PGPUB	2003/11/14 08:59
-	1	("5859979").PN.	USPAT; US-PGPUB	2004/04/16 14:04
-	711	(709/204.ccls. or 709/205.ccls.) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 14:25

-	27	((709/204.ccls. or 709/205.ccls.) and @ad<19991020) and @pd>20031103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 14:22
-	1407	(709/227.ccls. or 709/228.ccls.) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 14:22
-	46	((709/227.ccls. or 709/228.ccls.) and @ad<19991020) and @pd>20031103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 14:25
-	235	370/260.ccls. and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 14:25
-	7	(370/260.ccls. and @ad<19991020) and @pd>20031103	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 14:28
-	406	(negotiat$3 or adjust$3 or reconcil$3) NEAR6 (communication NEAR4 (type or method)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 14:33
-	297	(negotiat$3 or adjust$3 or reconcil$3) NEAR3 (communication NEAR4 (type or method)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 14:31
-	136	(negotiat$3 or adjust$3 or reconcil$3) NEAR3 (communication NEAR2 (type or method)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 14:31
-	88	(negotiat$3 or adjust$3 or reconcil$3) NEAR6 (communication NEAR4 (type or transport)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/16 14:33
-	3	(incompatible or unsupported) NEAR6 download and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 08:50
-	98	("plug-in" or plugin) NEAR6 download and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 08:59
-	35	((list or table) NEAR8 (compatible or suitable)) NEAR8 (transport or protocol or (communication adj type$2)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 09:18
-	88	((communication NEAR2 (type or means)) NEAR4 (compatible or operable or usable))and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 09:27
-	135	(select$3 or choos$3 or pick$3) NEAR3 (compatible or operable or usable) NEAR4 (protocol or transport) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 09:44

-	25	(user or client) NEAR3 (select$3 or choos$3 or pick$3) NEAR3 (compatible or operable or usable) NEAR4 (protocol or transport or software) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:18
-	16	(transport or protocol) NEAR3 compatib$5 NEAR4 check$3 and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:15
-	3	("5850652" | "5889863" | "5903652").PN.	USPAT	2004/04/19 10:16
-	0	6073113.URPN.	USPAT	2004/04/19 10:16
-	28	(user or client) NEAR3 (select$3 or choos$3 or pick$3) NEAR3 (compatible or operable or usable) NEAR4 (connection or protocol or transport or software) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:22
-	3	((user or client) NEAR3 (select$3 or choos$3 or pick$3) NEAR3 (compatible or operable or usable) NEAR4 (connection or protocol or transport or software) and @ad<19991020) not ((user or client) NEAR3 (select$3 or choos$3 or pick$3) NEAR3 (compatible or operable or usable) NEAR4 (protocol or transport or software) and @ad<19991020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:18
-	34	(user or client) NEAR3 (select$3 or choos$3 or pick$3) NEAR3 (compatible or operable or usable or supported) NEAR4 (connection or protocol or transport or software) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:19
-	10	((user or client) NEAR3 (select$3 or choos$3 or pick$3) NEAR3 (compatible or operable or usable or supported) NEAR4 (connection or protocol or transport or software) and @ad<19991020) not ((user or client) NEAR3 (select$3 or choos$3 or pick$3) NEAR3 (compatible or operable or usable) NEAR4 (protocol or transport or software) and @ad<19991020)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:20
-	84	(user or client) NEAR3 (select$3 or choos$3 or pick$3) NEAR4 (connection or protocol or transport or software or communication or program) NEAR6 (compatib$5 or support$3) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:42
-	319	(connection or protocol or transport) NEAR4 (compatib$5 or support$3) NEAR6 ((source and destination) or (client and server)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:43
-	5	(select$3 or pick$3 or choos$3) NEAR3 (connection or protocol or transport) NEAR4 (compatib$5 or support$3) NEAR6 ((source and destination) or (client and server)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:46
-	1	(list$3 or display$3) NEAR3 (connection or protocol or transport) NEAR4 (compatib$5 or support$3) NEAR6 ((source and destination) or (client and server)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:48
-	4	(list$3 or display$3) NEAR6 (connection or protocol or transport) NEAR8 (compatib$5 or support$3) NEAR6 ((source and destination) or (client and server)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:50
-	4	(list$3 or display$3) NEAR6 (connection or protocol or transport or (communication adj2 (type or means))) NEAR8 (compatib$5 or support$3) NEAR6 ((source and destination) or (client and server)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:50

-	14	(list$3 or display$3) NEAR6 (connection or protocol or transport or (communication adj2 (type or means)) or (program or application)) NEAR8 (compatib$5 or support$3) NEAR6 ((source and destination) or (client and server)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:55
-	2129	(list$3 or display$3) NEAR6 (connection or protocol or transport or (communication adj2 (type or means)) or (program or application)) NEAR8 (compatib$5 or support$3) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:56
-	734	(list$3 or display$3) NEAR6 (connection or protocol or transport) NEAR8 (compatib$5 or support$3) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 11:03
-	15	(list$3 or display$3) NEAR6 (connection or protocol or transport) NEAR8 (compatib$5 or support$3) NEAR8 (clients) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 11:00
-	13	(list$3 or display$3) NEAR6 (connection or protocol or transport) NEAR8 (compatib$5 or support$3) NEAR8 (source) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 11:02
-	1	(list$3 or display$3) NEAR6 (connection or protocol or transport) NEAR8 (compatib$5 or support$3) NEAR8 (between adj3 (client$1 or computers)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 11:03
-	22	((list$3 or display$3) NEAR6 (connection or protocol or transport) NEAR8 (compatib$5 or support$3) and @ad<19991020) and (709/227.ccls. or 709/228.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 11:32
-	177	(communication or protocol or transport) NEAR4 (operable or compatib$5 or supported) NEAR8 ((source and destination) or (client and server)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 11:32
-	23	((communication or protocol or transport) NEAR4 (operable or compatib$5 or supported) NEAR8 ((source and destination) or (client and server)) and @ad<19991020) and (709/227.ccls. or 709/228.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 11:33
-	13045	present$3 NEAR8 (transport or protocol or rates) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 15:46
-	4263	present$3 NEAR8 (transport or protocol or ((baud or connection) adj rate$1)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 15:55
-	64	(present$3 NEAR8 (transport or protocol or ((baud or connection) adj rate$1)) and @ad<19991020) and (709/227.ccls. or 709/228.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 15:47
-	1298	(present or presenting) NEAR8 (transport or protocol or ((baud or connection) adj rate$1)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 15:58
-	5	(present or presenting) NEAR8 (transport or protocol or ((baud or connection) adj rate$1)) NEAR4 list and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 16:00

-	1792	(protocol or transport) NEAR4 (determination or negotiati$3) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 16:01
-	10	(client and server) NEAR6 (protocol or transport) NEAR4 (determination or negotiati$3) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 16:21
-	0	presenting NEAR4 (connection adj3 (rate or bandwidth)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 16:21
-	85	select$3 NEAR4 (connection adj3 (rate or bandwidth)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 16:22
-	0	megotiat$3 NEAR6 (rate or bandwidth) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 08:18
-	907	negotiat$3 NEAR6 (rate or bandwidth) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 08:18
-	301	negotiat$3 NEAR6 (((connection or baud) adj2 rate) or bandwidth) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 08:28
-	9	(negotiat$3 NEAR6 (((connection or baud) adj2 rate) or bandwidth) and @ad<19991020) and ((present or display) NEAR4 list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 08:19
-	52	negotiat$3 NEAR6 (((connection or baud) adj2 rate)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 08:40
-	6	(negotiat$3 NEAR6 (((connection or baud) adj2 rate)) and @ad<19991020) and ((select$3 or choos$3) NEAR4 (baud adj2 rate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 08:39
-	716	(select$3 or choos$3 or pick$3) NEAR6 (((connection or baud) adj2 (rate or speed))) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 08:45
-	6	((select$3 or choos$3 or pick$3) NEAR6 (((connection or baud) adj2 (rate or speed))) and @ad<19991020) and (709/227.ccls. or 709/228.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 08:44
-	103	(select$3 or choos$3 or pick$3) NEAR6 ((connection adj2 (rate or speed))) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 08:48
-	0	(select$3 or choos$3 or pick$3) NEAR6 (compatib$5 or supported) NEAR5 ((connection adj2 (rate or speed))) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 08:49

-	1	(select$3 or choos$3 or pick$3) NEAR6 ((connection adj2 (rate or speed))) NEAR5 (compatib$5 or supported) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 08:50
-	26	negotiat$3 NEAR4 (compatib$5 or supported) NEAR5 (protocol or transport or connection or rate) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 08:57
-	0	negotiat$3 NEAR4 (compatib$5 or supported) NEAR5 ((baud or connect$3) adj2 (rate or type)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 08:58
-	10	negotiat$3 NEAR8 (compatib$5 or supported) NEAR5 ((baud or connect$3) adj2 (rate or type)) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 09:00
-	54	(user or client) NEAR4 (select$3 or choos$4 or pick$3) NEAR8 ((connection or baud or transfer) adj3 rate) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 09:10
-	1	(user or client or source) NEAR4 (select$3 or choos$4 or pick$3 or control$3) NEAR8 (supported or compatible) NEAR6 ((connection or baud or transfer) adj3 rate) and @ad<19991020	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 09:11